BERNARD CHARLES COTTON (1905-1966)

OBITUARY, BIBLIOGRAPHY AND INDEX OF HIS NEW SCIENTIFIC NAMES

By

HELENE M. LAWS*
and
HANS MINCHAM*

Bernard Charles Cotton, Curator of Molluscs at the South Australian Museum for 28 years, died on 3rd May 1966, aged 61. Born in Sheffield, England, he came to South Australia with his parents in 1923 and, a few months after his arrival, joined the staff of the South Australian Museum as a cadet to assist Sir Joseph Verco, the Honorary Conchologist. His first work was to help in the preparation of card catalogues of shells. He soon advanced to the position of Museum Assistant and Photographer, and in 1928 was appointed Assistant Conchologist. He was trained in conchology for 10 years by Sir Joseph Verco and, following Sir Joseph's death in 1934, was appointed Curator of Molluscs. Declining health necessitated his retirement from the Museum staff in 1962 after almost 40 years of service.

Cotton's bibliography reveals an outstanding contribution to Australian malacology. From this it is readily apparent that, while maintaining a high output of scientific writings, he also produced much to make the study of molluscs appeal to naturalists and the general public including the young. Of his published material, his major works are the four volumes published by the South Australian Branch of the British Science Guild, the first two of which were produced in collaboration with F. K. Godfrey.

Bernard Cotton was a Fellow of the Royal Society of South Australia from 1929, held office as a member of the Council for a number of years, served as vice-President (1949-50, 1951-2), President (1950-51) and finally as Programme Secretary (1959-62). In the Transactions of the Society he published 20 papers, 6 of which were in collaboration with other authors.

For many years Cotton was an active member of the Field Naturalists' Society of South Australia in which he served as Treasurer, Editor and Chairman. In 1964 the Society accorded him its highest award by electing him an Honorary Life Member.

In 1950 he was awarded the Natural History Medallion—a tribute to his research and work of "increasing knowledge and appreciation of Natural History in Australia".

Cotton was a Foundation Patron of the Malacological Society of Australia (portrait: *J. Malac. Soc. Aust.*, 3:3, 1959) and was made a Fellow and Honorary Life Member of the Royal Zoological Society of New South Wales. He was a Foundation Member and first President of the Malacological Section of the Royal Society of South Australia. In 1957 he was appointed Honorary Consulting Malacologist

---

* South Australian Museum, Adelaide, South Australia.

to the Natural Science Foundation, Philadephia, U.S.A. The South Australian Department of Mines seconded him in 1947 to identify fossil Mollusca from bores, work that he mantained for two and a half years.

An activity that appealed to him was editing and he found time, somehow, to do a considerable amount of editorial work. For 17 years he edited the quarterly "The South Australian Naturalist". Working upon notes left by the author he edited Sir Joseph Verco's "Combing the Southern Seas", a book published in 1935. He was the editor of the 1964 edition of "South Australian National Parks and Wild Life Reserves", a revision and enlargement of two earlier editions both of which he edited. His final work in this field was "Aboriginal Man of South and Central Australia", the latest handbook issued by the South Australian Branch of the British Science Guild Handbooks Committee. This was published only a few weeks before his death.

Bernard Cotton had plans for years of work upon which to expend his retirement. There were further parts of "Aboriginal Man" to edit and at least one book to write, among other things. Life ran out too soon for him but he filled his years well.

He is survived by Mrs. Cotton and two married daughters.

BIBLIOGRAPHY

The bibliography which follows covers Bernard Cotton's scientific publications from his first paper, in collaboration with Verco, in 1928, until the time of his death. All titles are arranged in strict chronological order of publication and those which include descriptions of new species and genera are marked with an asterisk.

During his lifetime Cotton also wrote many articles for newspapers and popular magazines. It was inevitable that some of his publications would be intermediate between the scientific and the popular. These have been weighed individually, some being included in the bibliography below and others being set aside as being of a popular nature.

CHRONOLOGICAL LIST OF PAPERS

1928

1. South Australian Cephalopoda. (Sir Joseph Verco & B.C.C.). *Rec. S. Aust. Mus.*, 4 (1):125-133. Sept. 30.

1929

*2. Contributions to the Fauna of Rottnest Island. IV. Western Australian Sepiidae. *J. Proc. R. Soc. West. Aust.*, 15: 87-91. July 25.

1930

*3. Fissurellidae from the "Flindersian" Region, Southern Australia. *Rec. S. Aust. Mus.*, 4 (2): 219-222. July 18.

*4. Pelecypoda of the Flindersian Region, Southern Australia. No. 1. *Rec. S. Aust. Mus.*, 4 (2):223-240. July 18.

*5. A New Species of the Genus *Emarginula* from the Capricorn Group. *Rec. S. Aust. Mus.*, 4 (2):241. July 18.

6. Notes on Australian Polyplacophora. (E. Ashby & B.C.C.). *Trans. R. Soc. S. Aust.*, 54:57-58. Dec. 20.

1931

7. Bird Notes. *S. Aust. Orn.,* 11 (1):21. Jan. 1.
8. The Spermatophore of *Sepioteuthis australis* (Quoy & Gaimard). (Sir Joseph Verco & B.C.C.). *Proc. Malac. Soc. Lond.,* 19 (4):168-170. Mar. 14.

*9. Cuttlebones from Robe with Description of a new Species. *S. Aust. Nat.,* 12 (3):39-41. May.

*10. Pelecypoda of the Flindersian Region, Southern Australia. No. 2. *Rec. S. Aust. Mus.,* 4 (3):333-354. June 30.

*11. South Australian Shells. Part I. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 12 (4):51-63. Aug.

*12. Nomenclatural Note. *S. Aust. Nat.,* 12 (4):63. Aug.

*13. South Australian Shells. Part II. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 13 (1):5-23. Nov.

1932

*14. South Australian Shells. Part III. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 13 (2):35-86. Feb.

*15. Australian *Unionidae.* (B.C.C. & C. J. Gabriel). *Proc. R. Soc. Vict.,* N.S., 44 (2):155-160. April.

*16. South Australian Shells. Part IV. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 13 (3):92-111. May.

17. Bird Notes. *S. Aust. Orn.,* 11 (7):198-199. July 1.

*18. Notes on Australian Mollusca, with Descriptions of New Genera and New Species. *Rec. S. Aust. Mus.,* 4 (4):537-547. July 31.

*19. South Australian Shells. Part V. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 13 (4):127-176. Aug.

*20. South Australian Shells. Part VI. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 14 (1):16-44. Nov.

1933

21. Bird Notes. *S. Aust. Orn.,* 12(2):65. April.

*22. South Australian Shells. Part VII. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 14 (3):72-108. May.

23. Bird Notes. *S. Aust. Orn.,* 12 (3):100-101. July 1.
24. Obituary and Bibliography of Conchological Works of Sir Joseph Cooke Verco. *S. Aust. Nat.,* 14 (4):121-124. Aug. 21.
25. Remarks on the New Harpid (Mollusca) Genera of Finlay and Iredale. (B.C.C. & N. H. Woods). *Rec. S. Aust. Mus.,* 5 (1): 45-47. Aug. 31.

*26. South Australian Shells. Part VIII. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 14 (4):135-150. Aug. 31.

27. Notes on the Turton Collection of Chitons. (E. Ashby & B.C.C.). *Proc. Malac. Soc. Lond.,* 20 (6):320. Nov. 15.
28. An American Fresh-Water Snail from the River Murray at Blanchetown. *S. Aust. Nat.,* 15 (1):8. Nov. 30.

*29. South Australian Shells. Part IX. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 15 (1):14-24. Nov. 30.

1934

*30. South Australian Shells. Part X. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 15 (2):41-56. Mar. 27.

31. Bird Notes. *S. Aust. Orn.,* 12 (6):215. April 1.

*32. South Australian Shells. Part XI. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.* 15 (3):77-92. June 12.

*33. Pelecypoda of the Flindersian Region, Southern Australia. No. 3. *Rec. S. Aust. Mus.,* 5 (2):173-178. July 31.

*34. South Australian Shells. Part XII. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 15 (4):106-112 & 114-121. Sept. 20.
35. A Freshwater Mussel Attached to a Duck's Foot. *S. Aust. Nat.,* 15 (4):113. Sept. 20.
*36. New Species of Chitons from Broome, Western Australia. (E. Ashby & B.C.C.). *J. Proc. R. Soc. West. Aust.,* 20:213-219. Dec. 3.
*37. South Australian Shells. Part XIII. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 16 (1):1-6. Dec. 15.
*38. A New Species of Fossil Shell from the Upper Pliocene of the Adelaide Plains. *S. Aust. Nat.,* 16 (1):7. Dec. 15.

1935

39. Bird Notes. *S. Aust. Orn.,* 13 (1):21-22. Jan. 1.
40. Bird Notes. *S. Aust. Orn.,* 13 (2):58-59. April 1.
*41. South Australian Shells. Part XIII (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 16 (2):13-24. April 10.
*42. South Australian Shells. Part XV. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 16 (3):34-41. July 24.
*43. Recent Australian Viviparidae and a Fossil Species. *Rec. S. Aust. Mus.,* 5 (3):339-344. Sept. 30.
*44. The Correlation of Recent and Fossil *Turritellidae* of Southern Australia. (B.C.C. & N. H. Woods). *Rec. S. Aust. Mus.,* 5 (3):369-387. Sept. 30.
45. Descriptions of Fossil Chitons from Europe in the Ashby Collection at the South Australian Museum. (E. Ashby & B.C.C.). *Rec. S. Aust. Mus.* 5 (3):389-394. Sept. 30.
46. Bird Notes. Birds noted on Yorke Peninsula in September, 1935. *S. Aust. Orn.* 13 (4):125. Oct. 1.
*47. The Australian Viviparous River Snails. *Victorian Nat.,* 52: 96-99. Oct.
*48. The Genus *Cheilea* in Australian Waters. *J. Proc. R. Soc. West. Aust.,* 21:153-154. Dec. 18.

1936

*49. A New Fossil Bivalve Mollusc from South Australia. *Rec. S. Aust. Mus.,* 5 (4):503-504. Nov. 30.
50. The Southern Australian Baler Shell. *Melo miltonis* Gray. *Rec. S. Aust. Mus.,* 5 (4):505-508. Nov. 30.
*51. South Australian Fossil Chitons. (E. Ashby & B.C.C.). *Rec. S. Aust. Mus.,* 5 (4):509-512. Nov. 30.
*52. Description of a New Cerithoid Fossil Shell. (Professor W. Howchin & B.C.C.). *Trans. R. Soc. S. Aust.,* 60:31-32. Dec. 23.
53. Shells of the National Park. *S. Aust. Nat.,* 17 (1-4):83-85. 1936. (Issued separately as National Park Morialta and Waterfall Gully Reserves. Edited by B. C. Cotton. Adelaide. 1936).

1937

54. Records of Snails and Slugs Introduced to South Australia. *S. Aust. Nat.,* 16 (4):58-60. March 24.
*55. Loricata. *Rep. B.A.N.Z. Antarct. Res. Exped.,* Ser. B: 4(1):9-19. Aug. 20.
56. Brachiopoda. *Rep. B.A.N.Z. Antarct. Res. Exped.,* Ser. B: 4(1): 20-22. Aug. 20.
*57. Nomenclatural Note. *S. Aust. Nat.,* 18 (1):2. Sept. 30.
58. Eggs and Egg Cases of Some Southern Australian Mollusca. *Rec. S. Aust. Mus.,* 6 (1):101-103. Nov. 30.

*59. Description of Two New Species of Australian Chitons with Additional Notes and Records. (E. Ashby & B.C.C.). *Trans. R. Soc. S. Aust.,* 61:145-148. Dec. 24.

1938

60. *The Molluscs of South Australia. Part I. The Pelecypoda*: 1-314. Government Printer, Adelaide. Mar. 20.
61. Obituary—The Late W. J. Kimber. *S. Aust. Nat.,* 18 (3): 63. April 30.
62. The Spermatophore of *Rossia australis* Berry. *Proc. R. Soc. Vict.,* 50 (2):338-340. May 23.
63. *Ephippodonta*—South Australia's Most Peculiar Bivalve Shell. *Victorian Nat.,* 55:58-61. Aug.
*64. Recent and Fossil Species of the Scaphopod Genus *Dentalium* in Southern Australia. (B.C.C. & N. H. Ludbrook). *Trans. R. Soc. S. Aust.,* 62 (2):217-228. Dec. 23.
*65. New Species of South Australian Gastropoda. (B.C.C. & F. K. Godfrey). *Rec. S. Aust. Mus.,* 6 (2):199-206. Dec. 24.
66. A Systematic List of the Gastropoda. The Marine, Freshwater, and Land Univalve Mollusca of South and Central Australia. (B.C.C. & F. K. Godfrey). *The Malacological Society of South Australia. Publication* No. 1:1-44. Dec. 31.

1939

67. Bird Notes. Galah (*Kakatoe roseicapilla*). *S. Aust. Orn.,* 15 (1):16. Jan. 1.
*68. Reports of the McCoy Society for Field Investigation and Research. No. 3. Sir Joseph Banks Islands. Part II. Mollusca. Part 2, General. *Proc. R. Soc. Vict.* 51 (1): 159-176. Jan. 23.
69. Observations on a Native Land Snail *Exilibadistes sutilosa* (Deshayers, 1850). (B.C.C. & W. M. Nielsen). *S. Aust. Nat.,* 19 (3):16. April 29.
70. An Imported Snail. "*The Farmer*", Moonta, South Australia. May 5.
71. The Black Cowry. "*The Farmer*", Moonta, South Australia. June 23.
72. The Mallee Fowl's Nest. *S. Aust. Orn.,* 15 (3):46-47. July 1.
*73. New Fossil Chitons from the Miocene and Pliocene of Victoria. (E. Ashby & B.C.C.). *Rec. S. Aust. Mus.* 6 (3):209-242. Dec. 16.
*74. Flindersian Loricates. (B.C.C. & B. J. Weeding). *Trans. R. Soc. S. Aust.,* 63 (2):181-199. Dec. 22.
*75. Land Shells from the Northern Flinders Range. *S. Aust. Nat.,* 20 (1):3-6. Dec. 30.

1940

*76. The Land Shells of Kangaroo Island. *S. Aust. Nat.,* 20 (3): 40-42. Sept. 30.
77. Sea Shore Shells of South Australia. (B.C.C. & F. K. Godfrey). *S. Aust. Nat.,* 20 (4):49-60. Nov. 30.
78. Large Sea Urchins from New Guinea. *S. Aust. Nat.,* 20 (4):60. Nov. 30.
79. The Kalutara Snail *Achatina fulica* Ferussac Attacks Rubber Trees in Ceylon. *S. Aust. Nat.,* 20 (4):65. Nov. 30.
80. *The Molluscs of South Australia. Part II. Scaphopoda, Cephalopoda, Aplacophora and Crepipoda*: 315-600. (B.C.C. & F. K. Godfrey). Government Printer, Adelaide. Dec. 20.
81. A Systematic List of Pelecypoda, Scaphopoda, Cephalopoda and Crepipoda. The Bivalve Mollusca, Tusk-Shells, Nautilus, Squids, Octopi and Chitons of South Australia. *The Malacological Society of South Australia. Publication* No. 2:1-32. Dec. 31.

1941

82. The Correlation of Recent and Fossil Crepipoda (Mollusca) of the Australian Sub-Region. (B.C.C. & B. J. Weeding). *Rec. S. Aust. Mus.,* 6 (4):435-450. Feb. 28.
*83. A New Species of Land Shell from Salamo, Fergusson Island, New Guinea. *S. Aust. Nat.,* 21 (1):5-6. May 31.
*84. Fresh Water Snails From The River Torrens. (B.C.C. & A. K. Beasley). *S. Aust. Nat.,* 21 (1):17. May 31.

1942

85. The Southern Bailer Shell. *S. Aust. Nat.,* 21 (3):14. July 14.
86. Barrett's Land Shell. *S. Aust. Nat.,* 21 (3):16. July 14.
*87. Some Australian Freshwater Gasteropoda. *Trans. R. Soc. S. Aust.,* 66 (1):75-82. July 31.
88. Cephalopoda from the Stomach Contents of Fish from East and South Australia. *Trans. R. Soc. S. Aust.,* 66 (1):83-84. July 31.
89. A Teal with a Broken Humerus. (H. E. Dunstone & B.C.C.). *S. Aust. Nat.,* 21 (4):3. Dec. 1.
*90. Australian Gastropoda of the Families Hydrobiidae, Assimineidae and Acmeidae. *Trans. R. Soc. S. Aust.,* 66 (2):124-129. Dec. 18.
*91. Echinodermata of the Flindersian Region Southern Australia. (B.C.C. & F. K. Godfrey). *Rec. S. Aust. Mus.,* 7 (2): 193-234. Dec. 24.
92. *Idiellana,* A New Name for the Preoccupied Genus *Idiella* Stechow. (B.C.C. & F. K. Godfrey). *Rec. S. Aust. Mus.,* 7 (2):234. Dec. 24.

1943

93. Echinodermata, Brachiopoda, *in* A Systematic List of the Echinodermata, Foraminifera, Hydroida, Brachiopoda of South Australia. (B.C.C. & F. K. Godfrey). *Rec. Soc. S. Aust., Malacological Section, Publication* No. 3. Jan. 30.
94. More Australian Fresh Water Shells. *Trans. R. Soc. S. Aust.,* 67 (1):143-148. July 30.
*95. Australian Shells of the Family Haliotidae. *Trans. R. Soc. S. Aust.,* 67 (1):175-180. Nov. 30.
96. The Paper Nautilus *Argonauta nodosa* (Solander, 1786) taken on the eastern Gulf St. Vincent Beaches. *Trans. R. Soc. S. Aust.,* 67 (1):180. Nov. 30.
*97. The Cowries (Cypraeidae) of Fiji. (W. R. Steadman & B.C.C.). *Rec. S. Aust. Mus.,* 7 (4):309-336. Nov. 30.
98. Killer Whales in South Australia. *S. Aust. Nat.,* 22 (2):2. Dec. 10.
99. Paper Nautilus and Loggerhead Turtle Reported. *S. Aust. Nat.,* 22 (2):14. Dec. 10.
100. Fijian Cowries. (W. R. Steadman & B.C.C.). *S. Aust. Nat.,* 22 (2):15. Dec. 10.

1944

101. Egg Capsule of the South Australian Baler Shell *Melo miltonis* Gray. *Rec. S. Aust. Mus.* 8 (1):143-144. April 24.
*102. Australian Margin Shells (Marginellidae). *S. Aust. Nat.* 22 (4):9-16. Nov. 30.
*103. Recent Australian Species of Rissoidae (Mollusca). *Trans. R. Soc. S. Aust.,* 68 (2):286-314. Nov. 30.

1945

*104. A Catalogue of the Cone Shells (*Conidae*) in the South Australian Museum. *Rec. S. Aust. Mus.*, 8 (2):229-280. June 30.
*105. Southern Australian Gastropoda. Part I. Streptoneura. *Trans . R. Soc. S. Aust.*, 69 (1):150-171. July 27.
106. Oysters—Free. *S. Aust. Nat.*, 23 (2):10-11. Oct. 15.
*107. Australian Keyhole Limpets. *S. Aust. Nat.*, 23 (2):13-16. Oct. 15.
*108. Southern Australian Gastropoda. Part II. Doliacea. *Trans. R. Soc. S. Aust.*, 69 (2):249-262. Nov. 30.

1946

109. Australian Beaded Top Shells. *S. Aust. Nat.*, 23 (3):6-8. Feb. 15.
110. *South Australian Shells.* South Australian Museum Publication. (1st edition). Feb.
111. Australian Limpets of the Family *Lottiidae. S. Aust. Nat.*, 23 (4):14-16. June 1.
*112. A Key to the Classification of the Cowries (*Cypraeidae*). (W. R. Steadman & B.C.C.). *Rec. S. Aust. Mus.*, 8 (3): 503-530. June 30.
113. Some Raised Beaches of the Lower South-East of South Australia and Their Significance. *Trans. R. Soc. S. Aust.*, 70 (1):64-82. Dec. 1.
*114. Some Rare Southern Australian Shells. *S. Aust. Nat.*, 24 (1): 13-16. Sept. 2.

1947

115. Australian Limpets of the Family Patellidae. *S. Aust. Nat.*, 24 (2):14-16. Jan. 1.
*116. Some Southern Australian Turridae. *S. Aust. Nat.*, 24 (3):13-16. April 1.
117. Australian Recent and Tertiary Turridae. *Field Naturalists's Section of the Royal Society of South Australia. Conchology Club. Publication* No. 4. June 30.
*118. Some Tertiary Fossil Molluscs from the Adelaidean Stage (Pliocene) of South Australia. *Rec. S. Aust. Mus.*, 8 (4):653-670. Dec. 10.

1948

119. Australian Cone Shells. *Field Naturalists' Section of the Royal Society of South Australia. Conchology Club. Publication* No. 5. Jan. 1.
120. Australian Recent and Tertiary Cypraeacea (Cowries). *S. Aust. Nat.*, 24 (4):11-15. April 1.
*121. Southern Australian Gastropoda. Part III. *Trans. R. Soc. S. Aust.*, 72 (1):30-32. Aug. 23.
122. Lake Macdonnell Gypsum Deposit. Appendix I, Palaeontological Examination. *South Australian Mining Review*, 87:130-132. Feb. 1.

1949

*123. Australian Recent and Tertiary Mollusca. Family Volutidae. *Rec. S. Aust. Mus.*, 9 (2):181-196. May 31.
*124. Australian Recent and Tertiary Mollusca. Family Marginellidae. *Rec. S. Aust. Mus.*, 9 (2):197-224. May 31.
*125. A New *Aturia* from the Tertiary of South Australia. (C. Teichert & B.C.C.). *Rec. S. Aust. Mus.*, 9 (2):255-256. May 31.

126. The Drilling of a trial Borehole on the Lake Macdonnell Salt and Gypsum Deposits, Appendix I, Palaeontological Examination. *South Australian Mining Review,* 88:268. Nov. 21.

127. An Old Mangrove Mud-flat Exposed by Wave Scouring at Glenelg, South Australia. *Trans. R. Soc. S. Aust.,* 73 (1):59-61. Dec.

128. Fossil Oysters used for Road Metal. *Trans. R. Soc. S. Aust.,* 73 (1):62. Dec.

1950

129. Mollusca from Western Australia. *Rec. S. Aust. Mus.,* 9 (3): 333-338. June 30.

130. Pleistocene Land and Freshwater Shells from South Australia. *Rec. S. Aust. Mus.,* 9 (3):352. June 30.

1951

*131. Australian Recent and Tertiary Mollusca, Family Cerithiopsidae. *Rec. S. Aust. Mus.,* 9 (4):383-396. June 30.

1952

132. Family Haliotidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 1:3pp. July 21.

*133. Australian Recent and Tertiary Mollusca (Terebridae, Rissoinidae, Rissoidae, Fasciolariidae, Volutidae). *Trans. R. Soc. S. Aust.,* 75:38-54. Sept.

134. Family Cerithiidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 2:4pp. Nov. 3.

135. Geology and Underground Water Resources of the Adelaide Plains Area, Appendix III, Stratigraphy and Palaeontology of the Subsurface Deposits of the Adelaide Plains. (B.C.C. & I. Crespin). *Department of Mines (Geological Survey of South Australia). Bulletin* 27:227-238. Nov.

*136. Geology and Underground Water Resources of the Adelaide Plains Area, Appendix IV, The Mollusca of the Adelaidean Stage. *Department of Mines (Geological Survey of South Australia). Bulletin* 27:239-249. Nov.

1953

137. Family Strombidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 3 4 pp. Nov. 16.

*138. New Species and Records of Mollusca from South Australia. *Trans. R. Soc. S. Aust.,* 76:21-26. Dec.

139. Shells of the National Park and Reserves: 137-146, *in National Park and Reserves,* edited B. C. Cotton. Commissioners of the National Park, 197pp.

1954

140. Western Australian Pearl Shells. *West Aust. Nat.* 4 (4):83-84. Mar. 30.

141. Mollusca of the Outer Harbor, South Australia. *Rec. S. Aust. Mus.,* 11 (2):165-176. May 28.

142. A Catalogue of Introduced Snails and Slugs in Australia. *Rec. S. Aust. Mus.,* 11 (2):177-187. May 28.

*143. Family Cassididae. *R. Soc. S. Aust., Malacological Section, Publication* No. 4:4pp. June 30.

144. Family Naticidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 5:5pp. July 31.

1955

145. Family Olividae. *R. Soc. S. Aust., Malacological Section Publication* No. 6:4pp. May 30.
146. Fatal Bite from Octopus. (H. Flecker & B.C.C.). *Med. J. Aust.* 1955:329-332. Aug. 27.
147. Family Nassariidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 7:4pp. Aug. 30.

1956

148. Family Muricidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 8:8pp. Feb. 2.
149. Family Thaididae. *Malacological Club of Victoria, Publication* No. 1. July 1.
150. Family Scalidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 9:4pp. July 2.
151. Family Littorinidae. *Malacological Club of Victoria, Publication* No. 2. Oct. 1.
152. Family Buccinidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 10:4pp. Oct. 15.

1957

153. Family Fasciolariidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 11:4pp.
154. *Australian Recent and Tertiary Species of the Molluscan Family Volutidae.* Publ. B. C. Cotton. 4pp. Mar. 18.
155. Family Turritellidae. *Malacological Society of Australia, Publication* No. 3. Mar. 19.
156. Family Cymatiidae. *Malacological Society of Australia, Publication* No. 4. April 12.

*157. Records of Uncommon Southern Australian Mollusca. *Rec. S. Aust. Mus.,* 13 (1):117-130. April 30.

158. *Australian Recent and Tertiary Species of the Molluscan Family Pyrenidae.* Pub. B. C. Cotton. May 30.
159. Family Mitridae. *R. Soc. S. Aust., Malacological Section, Publication* No. 12:8pp. Sept. 2.
160. The Lightning Volute *Ericusa fulgetrum* Sowerby. *J. Malac. Soc. Aust.,* 1:8-10. Sept.
161. A Rare Pelecypod from South Australia. *S. Aust. Nat.,* 32 (2):22. Dec.

1958

162. Note on *Nautilus repertus* and *Nautilus scrobiculatus. Trans. R. Soc. S. Aust.,* 81:113. Mar.
163. *Australian Recent and Tertiary Species of the Molluscan Family Conidae.* Publ. B. C. Cotton. 4pp. Sept. 1.

163a. Western Australian Cowries. *J. Malac. Soc. Aust.,* 2:8-15. Nov. 13.

1959

164. Family Potamididae. *R. Soc. S. Aust., Malacological Section, Publication* No. 13:4pp. Feb. 2.
165. *South Australian Mollusca. Archaeogastropoda.* Government Printer, Adelaide. 449pp. July 1.
166. Family Haliotidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 1 (revised):4pp. Sept. 1.
167. Family Strombidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 3 (revised):8pp. Dec. 7.

1960

*168. A New Species of Scallop *Notochlamys hallae sp. nov.* from South Australia. *R. Soc. S. Aust., Malacological Section, Publication* No. 14:2pp. Jan. 1.

169. Rare Shells Recently Dredged off St. Francis Island, South Australia. *S. Aust. Nat.,* 34 (3):47. Mar.

170. Distorted Cowries. *Trans. R. Soc. S. Aust.,* 83:109-110. Mar.

171. Mollusca Eaten by Birds. *S. Aust. Orn.,* 23 (3):44-47. June 1.

172. An Imported Snail (*Ferussacia*) Appears Again. *S. Aust. Nat.,* 34 (4):58. June.

173. Rare Shells Recently dredged off St. Francis Island, South Australia (continued). *S. Aust. Nat.,* 34 (4):52. June.

174. Family Cerithiidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 2. (revised):4pp. July 20.

175. Recent Alterations in Range and Abundance of Marine Invertebrates in South Australia. *West. Aust. Nat.* 7 (6): 137-141. Sept. 9.

175a. Notes and Records. A large *Notodarus* (sic) *gouldi* (McCoy, 1888). *J. Malac. Soc. Aust.,* 4:70. Nov. 13.

1961

176. Shell Sorting. *S. Aust. Nat.,* 35 (3):40-41. Mar.

*177. A new species of Volute, *Mesericusa stokesi* sp. nov. from South Australia. *R. Soc. S. Aust., Malacological Section, Publication* No. 16:4pp. May 10.

178. Family Cassididae. *R. Soc. S. Aust., Malacological Section, Publication* No. 4 (revised):4pp. July 3.

179. *South Australian Mollusca. Pelecypoda.* Government Printer, Adelaide. 363pp. Oct.

1963

180. *South Australian Shells.* South Australian Museum Publication. 5th Edition. Feb.

1964

181. *South Australian Mollusca. Chitons.* Government Printer, Adelaide. 151pp. Feb. 2.

182. Molluscs of the National Parks and Reserves: 120-129, *in South Australian National Parks and Wild Life Reserves,* edited B. C. Cotton. Commissioners of the National Park and Wild Life Reserves, 190pp.

183. Family Naticidae. *R. Soc. S. Aust., Malacological Section, Publication* No. 5 (revised):4pp. Aug.

184. *Beachcombing at the Outer Harbour South Australia.* South Australian Museum Publication. 2nd Edition. Aug.

185. Molluscs of Arnhem Land. *Rec. of the Am. Aust. Sci. Exped. to Arnhem Land* 4 (Zoology): 9-43. Oct.

LIST OF NAMES

The list below gives, in alphabetical order, all generic, subgeneric, specific and subspecific names proposed by Cotton (including those in collaboration with other authors). No distinction is made between names for genera and subgenera; specific and subspecific names are followed by the genus or genus and species under which they were originally proposed. The number following each name is that of the paper, from the bibliography above, in which it was first proposed; the second number is that of the page where it first occurs.

Bibliographic titles marked with an asterisk are those in which new names appear.

absidata, Nannamoria, 123: 192.
acervatus, Inquisitor, 116: 13.
acia, Alcyna, 121:31.
acra, Sophismalepas, 118: 665.
acuta, Condylocardia, 10: 353.
Acutoplax, 74: 189.
adelaidae, Acanthochiton (Eoplax), 51:510.
adelaidensis, Cleidothaerus, 118:664.
adelaidensis, Nina, 118: 666.
adelaidensis, Terebralia, 52: 31.
adelaidensis, Turritella acricula, 44: 376.
Adelcidaris, 91: 217.
agasma, Antimelatoma, 116: 14.
Albacypraea, 112: 508.
alea, Myadora, 118: 665.
amblycorymba, Estea, 103: 289.
amboolee, Cypraea tigris, 97: 332.
angulifera, Filodrillia, 116: 13.
angustatum, Antephalium sinuosum, 13: 17.
anisus, Euguraleus, 116: 15.
aporema, Cuna, 118: 662.
arena, Marginella, 124: 214.
attenuata, Aturia clarkei, 125: 255.
augustensis, Callistochiton, 59: 145.
Austroglyphis, 30: 52.
Austroliotia, 121: 31.
Austropeplea 87: 80.
Austropyrgus, 90: 125.
Austroturquetia, 4: 239.
Austrovoluta, 123: 185.
axiscalpta, Rissoina, 133: 48.
babidus, Lepidopleurus, 73: 226.
baca, Marginella, 124: 200.
badioides, Lepidopleurus, 73: 222.
banksi, Capulus, 68: 171.
bardwelli, Ischnochiton (Isochiton), 36: 217.
barretti, Notopala, 47: 97.
bartletti, Erronea errones, 112: 508.
bartletti, Papuina, 83: 6.
beachportensis, Cantharidella, 34:121.
beachportensis, Dentalium, 64: 220.
beachportensis, Epideira, 65: 205.
beachportensis, Scala (Mazescala), 65: 203.
beasleyi, Ataxocerithium, 65: 204.
Belchiton, 73: 220.
bombax, Basilissa, 65: 202.
borda, Botelloides, 103: 298.
borda, Epigrus, 103: 308.
borda, Marginella, 102: 16.
bordaensis, Dentalium, 64: 220.
bordaensis, Guraleus, 116: 15.
bordaensis, Philobrya, 10: 334.
broadbentae, Strombiformis, 20: 40.
broomensis, Callistochiton, 36: 213.
broomensis, Ischnochiton (Haploplax), 36: 216.
bursa, Sphaerinova, 138: 21.
calliope, Calliostoma (Salsipotens), 65: 200.
Callistele, 41: 21.
Callitriphora, 118: 669.
cancellata, Pronucula, 4: 224.
cara, Australpera, 138: 21.
cassida, Marginella, 124: 216.
casus, Acanthochiton, 73: 214.
cavia, Basilitrona isabella, 97: 326.
celsa, Phylobrya, 10: 335.
centralia, Plotiopsis, 94: 145.
Centrapala, 43: 343.
cera, Umbilia, 118: 667.
charma, Marginella, 124: 215.
Choriplacidae, 74: 188.
cincta, Ethminolia, 65: 200.
clenchi, Callistochiton, 36: 214.
cliftonensis, Ischnochiton (Radsiella), 73: 231.
clima, Marginella, 124: 213.
clisia, Marginella, 124: 212.
columnaria, Glyptozaria, 44: 382.
coma, Acar, 118: 657.
coma, Alaba, 138: 25.

concava, Exosiperna, 10: 340.
concava, Loricella, 73: 236.
concentrica, Pronucula, 4: 224.
cooperi, Notobadistes, 76: 42.
cooperi, Pleuroxia, 75: 5.
cossyrus, Ischnochiton, 73: 229.
corallina, Gibbula, 42: 35.
cottesloensis, Decorisepia, 2: 90.
crama, Tucetona, 118: 660.
crassidentata, Condylocardia, 4: 236.
crebreradiata, Philobrya, 10: 334.
crista, Marginella, 124: 216.
Crocochiton, 74: 187.
curtior, Comitileda, 4: 226.
cyprina, Scissurella, 65: 199.
cyrta, Merelina, 103: 300.
Dauciconus, 104: 246.
decresensis, Bothriembryon, 76: 42.
delecta, Negyrina, 108: 254.
delicata, Myadora royana, 10: 344.
denda, Xenogalea, 105: 169.
dendus, Afossochiton (Telochiton), 73: 211.
diacritus, Guraleus, 116: 14.
dissitus, Latiaxis, 118: 667.
diversigranosus, Lepidopleurus, 73: 227.
doma, Marginella, 124: 213.
drundus, Acanthochiton, 73: 214.
duodeni, Anthochiton, 73: 235.
durius, Ischnochiton, 73: 230.
edwardsi, Eulima, 20: 37.
elliottae, Lorica, 74: 189.
elliottae, Marginella, 102: 13.
elliottae, Syrnola, 20: 23.
elveri, Ethminolia, 65: 200.
endua, Monetaria moneta, 97: 317.
Entomella, 107: 14.
entypoma, Divalucina, 118: 663.
Eoplax, 51: 510.
epitheca, Barbatia, 118: 657.
eremia, Gundlachia, 65: 206.
erma, Cuspidaria, 10: 347.
erma, Estea, 103: 288.
erma, Marginella, 102: 15.
erma, Sabia (Antisabia), 68: 171.
erua, Monetaria moneta, 97: 317.
eryma, Notocypraea, 118: 668.
etolu, Monetaria moneta, 97: 317.
Eubittium, 57: 2.
eucla, Marginella, 102: 12.
eucla, Pleuroploca, 133: 52.
Euclanculus, 32: 78.
euclia, Cabestanimorpha, 108: 252.
euclia, Guttacypraea, 112: 506.
euclia, Mayena, 108: 258.
Eudaronia, 105: 158.
Eudentalium, 26: 140.
Eugaimardia, 12: 63.
Euguraleus, 116: 15.
Euriclanculus, 32: 78.
Euseila, 131: 387.
Eusetia, 103: 306.
Eustaphylaea, 112: 505.
Euterebra, 14: 65.
Eutriphora, 11: 51.
Exohaliotis, 29: 16.
fiscina, Rissoina, 133: 47.
flindersi, Cheilea, 48: 153.
flindersi, Corbula, 4: 240.
flindersi, Dentalium, 64: 219.
flindersi, Emarginula convexa, 3: 221.
flindersi, Epideira, 65: 205.
flindersi, Joculator, 131: 390.
flindersi, Nanula, 42: 39.
flindersi, Naricava, 14: 37.
flindersi, Nototerebra, 133: 41.
flindersi, Octopus, 18: 543.
flindersi, Onustus, 65: 205.
flindersi, Pronucula, 4: 225.
flindersi, Propesinum, 13: 21.
flindersi, Reticunassa, 65: 204.
flindersi, Scala (Narvaliscala), 65: 203.
flindersi, Tasmeuthria, 14: 85.
florus, Guraleus, 116: 15.
forsythensis, Acanthochiton, 73: 213.
forteradiatus, Limopsis tenisoni, 4: 231.
francisensis, Micromytilus, 10: 336.
frondosa, Gastrochaena, 3: 177.
gabiniana, Pellax, 65: 202.
gabrieli, Amerianna, 87: 77.
gabrieli, Bankia, 33: 178.
Gemmaterebra, 136: 1.
georgiiregis, Eulima, 20: 37.
glauteri, Solitosepia, 2: 87.
Glycydonta, 49: 503.
godfreyi, Scala (Laeviscala), 68: 172.
gradata, Eulima, 20: 36.
Gradaterebra, 14: 66.
Granata, 157: 126.
granifera, Questimya, 10: 345.
grata, Rissoina, 133: 46.
greedi, Callistochiton, 73: 232.
gunteri, Schizotrochus, 29: 23.
hacketti, Retusa, 22: 76.
halli, Xenogalea, 143:1.
hallae, Notochlamys, 168: 1.
Hamacuna, 10: 350.
hardingi, Ringicula, 22: 80.
helenae, Pervicacia, 133: 40.
hendryae, Solitosepia, 2: 87.
hora, Milthoidea, 118: 663.

horia, Neotrigonia, 138: 21.
howchinia, Pelicaria, 38: 7.
howchini, Dentalium, 64: 224.
Hypotriphora, 11: 56.
Hypotrochus, 18: 539.
Idiellana, 92: 234.
incola, Gena, 118: 666.
inexpectus, Acanthochiton (Lirachiton), 73: 215.
inexpectus, Callistochiton, 73: 233.
insularis, Discocharopa, 68: 176.
introspecta, Joculator, 131: 389.
iredalei, Corbula, 4: 239.
iredalei, Gabbia, 90: 126.
iredalei, Myadora, 10: 342.
iscus, Afossochiton (Telochiton), 73: 212.
iscus, Terenochiton, 74: 182.
isingi, Planorbis, 19: 162.
Isochiton, 36: 217.
Isoclanculus, 32: 78.
Isoplacophora, 74: 185.
Isotriphora, 11: 52.
isosceles, Condylocardia, 4: 238.
jaenschi, Decorisepia, 9: 41.
jaffa, Borsonia, 116: 14.
jaffa, Marginella, 102: 11.
jaffa, Rissoina, 133: 48.
jaffaensis, Dentalium, 64: 221.
jaffaensis, Mitroidea, 14: 82.
jennisoni, Pustularia cicercula, 97: 310.
jervisensis, Ischnochiton, 59: 147.
johnstoni, Ischnochiton, 55: 11.
johnstoni, Pellax, 105: 164.
kalavo, Erronea nimisserans, 97: 324.
kawakawa, Evenaria asellus, 97: 320.
kesata, Solvadusta subviridis, 97: 322.
kimberi, Emarginula, 5: 241.
kimberi, Lyria, 18: 538.
kimberi, Phyllacanthus irregularis, 91: 216.
kimberi, Retusa, 22: 77.
Kimberia, 44: 370.
klemae, Rhizoconus, 138: 24.
korolevu, Evenaria hirundo, 97: 320.
Lamellileda, 4: 227.
laterna, Eusetia, 133: 51.
latissima, Turritella, 44: 372.
leia, Marginella, 102: 10.
lemuriana, Basilitrona isabella, 112: 507.
levifrons, Cuspidaria, 4: 235.
limaeformis, Condylocardia, 4: 238.
lincolnensis, Diodora, 3: 219.
Lirachiton, 73: 215.
macdonaldensis, Anthochiton, 73: 234.
macdonaldi, Callochiton, 73: 227.
Macroclanculus, 32: 78.
magnicostatus, Afossochiton (Telochiton), 73: 212.
magnopustulosa, Loricella, 73: 235.
mala, Marginella, 124: 215.
Mamiconus, 14: 69.
marsus, Spectamen, 65: 201.
mawsoni, Ischnochiton, 55: 9.
mawsoni, Xenogalea, 105: 168.
mayi, Tucetilla, 118: 659.
mediolaevis, Haurakia, 103: 294.
mcgilpi, Teretriphora, 138: 25.
meridianus, Malleus, 4: 232.
meta, Marginella, 124: 213.
metula, Marginella, 124: 214.
Micrastraea, 68: 169.
Microclanculus, 32: 78.
Microcolus, 14: 72.
Micromytilus, 10: 336.
mira, Rapana, 19: 145.
mira, Tenuisepia, 18: 546.
Molachiton, 73: 220.
momokiti, Arabica eglantina, 97: 327.
mountfordae, Clava, 185: 17.
muratensis, Notosetia, 103: 304.
murrayae, Eulima, 20: 36.
nandronga, Bistolida fluctuans, 97: 318.
narracanensis, Propehyridella, 15: 159.
nasese, Erosaria helenae, 97: 315.
naxus, Molachiton, 73: 220.
negata, Arca, 118: 656.
neglectus, Ischnochiton, 73: 231.
Neodiastoma, 18: 541.
Neogaimardia, 10: 341.
Neohaliotis, 29: 16.
newmanae, Amoria, 123: 192.
newmanae, Belchlamys, 185: 10.
newmanae, Marginella, 124: 199.
nielseni, Mucrosquama, 74: 190.
nivarus, Lepidopleurus, 73: 221.
northi, Cribraria cribraria, 97: 318.
nota, Tugalia, 118: 665.
notoaustralis, Condylocardia, 4: 239.
Notobadistes, 19: 171.
Notochlamys, 4: 233.
Notohaliotis, 29: 16.
Notomella, 157: 127.
Notomya, 10: 342.
Notopala, 43: 339.
Nototerebra, 118: 667.
Notovoluta, 114: 15.
nukulau, Staphylea, 97: 312.
numantius, Ischnochiton, 73: 229.
numicus, Cryptoplax, 73: 219.

occidentalis, Limopsis vixornata, 4: 230.
occidua, Cheilea, 48: 154.
occidua, Cuspidaria, 10: 347.
occidua, Linemera, 103: 302.
occidua, Marginella, 102: 15.
occidua, Notovoluta, 114: 16.
occidua, Solitosepia, 2: 88.
occidua, Turritella terebra, 44: 369.
occiduus, Callistochiton, 36: 215.
occiduus, Eligidion, 3: 220.
octocostatus, Anthochiton, 73: 235.
oculea, Lorica, 73: 237.
orca, Ericusa, 133: 53.
Ovatoplax, 74: 184.
Ovinotis, 95: 179.
pacifica, Lyncina lynx, 97: 330.
palla, Marginella, 124: 215.
pamphilius, Lepidopleurus, 73: 222.
Paracerithium, 18: 539.
Paradentalium, 26: 139.
Parascala, 13: 7.
Parviconus, 14: 68.
parvus, Pygmanisus, 94: 148.
patria, Marginella, 124: 201.
pattisonae, Excellaoma, 138: 25.
pattisoni, Bythinella, 87: 81.
pattisoni, Marginella, 102: 11.
patula, Emarginula superba, 3: 221.
penelevis, Glycymeris striatularis, 4: 229.
penetricincta, Hypotrochus, 18: 540.
pera, Marginella, 124: 215.
pergradata, Filodrillia, 13: 116.
perplexa, Neogaimardia, 10: 341.
pervalida, Myadora, 10: 343.
physa, Marginella, 124: 212.
pileata, Euseila, 131: 387.
pilsbryoides, Acanthochiton, 73: 216.
planicincta, Eulima, 20: 37.
plunketti, Eulimella, 20: 41.
plurinodulatus, Inquisitor, 116: 13.
powelli, Charonia, 157: 120.
profundior, Oamaruia pergradata, 14: 55.
profundior, Propefusus undulatus, 14: 72.
Propecuna, 10: 350.
Propehyridella, 15: 158.
propelutea, Venericardia, 4: 236.
Propescala, 13: 7.
Protohyridella, 15: 159.
protomarica, Glycydonta, 49: 504.
Protonucula, 4: 223.
pulcherrimus, Belchiton, 73: 221.
Ramoliva, 14: 54.
rectangularis, Condylocardia, 4: 237.
reevesbyi, Miselaoma, 68: 175.
reevesbyi, Scala (Pomiscala), 68: 172.
regina, Specula, 131: 385.
regula, Marginella, 124: 213.
relata, Assiminea, 90: 127.
relata, Chiton (Anthochiton) tricostalis, 51: 509.
relata, Estea, 103: 290.
relatus, Acanthochiton forsythensis, 73: 214.
relatus, Lepidopleurus, 73: 224.
reticulatus, Callistochiton, 73: 233.
rewa, Leporicypraea mappa, 97: 329.
robensis, Notomytilus, 10: 335.
roegerae, Eulima, 20: 35.
rosselli, Zoila, 121: 30.
rota, Tucetilla, 118: 659.
rottnestensis, Pseudodaphnella, 116: 15.
ruga, Pleuroxia, 138: 26.
ruvaya, Staphylea purperosa, 97: 312.
sabratus, Acanthochiton, 73: 215.
sagma, Marginella, 124: 216.
saundersi, Floraconus, 104: 264.
scalariformis, Gradaterebra, 14: 66.
Segnitila, 65: 204.
sephus, Lepidopleurus, 73: 225.
sheardi, Mucrosquama, 74: 190.
sica, Marginella, 123: 200.
sicus, Cryptoplax, 73: 219.
sinervus, Lepidopleurus, 73: 225.
singletoni, Floraconus, 104: 263.
singus, Lepidopleurus, 73: 226.
Sinutor, 41: 14.
solida, Cuna, 10: 349.
sorellensis, Tasmadora, 94: 148.
Spicator, 41: 14.
stokesi, Mesericusa, 177: 2.
styliferus, Zaclys, 131: 392.
subacricula, Turritella, 44: 376.
subacuta, Amerianna, 84: 17.
subcrassa, Scala (Nodiscala), 65: 203.
Subestea, 103: 292.
subjugum, Uber, 118: 668.
subovata, Propecuna, 10: 351.
subplicata, Pervicacia, 133: 40.
subrotunda, Cuna, 4: 235.
subrudis, Turritella murrayana, 44: 371.
sulcata, Lironoba, 103: 296.
sulci, Afossochiton, 73: 210.
suvaensis, Paulonaria minoridens, 97: 319.
talla, Marginella, 124: 214.
tannaensis, Asprella, 104: 270.

tardiradiata, Philobrya, 10: 334.
tasmaniensis, Turritella acricula, 44: 376.
taylorae, Odostomia, 20: 27.
theeva, Pustularia margarita, 97: 310.
Telochiton, 73: 211.
tenuiradiatus, Limopsis tenisoni, 4: 231.
Tenuisepia, 18: 546.
thakau, Bistolida stolida, 97: 318.
tisurus, Ischnochiton, 73: 228.
topee, Ponda ventriculus, 97: 331.
torri, Austrocochlea, 37: 1.
trianguloides, Acanthochiton, 73: 217.
triggi, Eulima, 20: 36.
triggi, Hermes, 104: 267.
trilix, Turritella, 44: 377.
trimaculata, Asperdaphne, 116: 14.
trua, Neotrigonia, 118: 661.
turanga, Callistocypraea aurantium, 97: 329.
typica, Lamellileda, 4: 227.
umberatana, Glyptorhagada, 138: 25.
unisulcata, Syrnola, 20: 22.
ursulae, Crumenasepia, 2: 87-91.
uxellus, ?Lepidopleurus, 73: 223.
varena, Lorica, 73: 238.
vatu, Melicerona melvilli, 97: 322.
vava, Talostolida subteres, 97: 319.
veitchi, Aviscutum, 138: 23.
verconis, Dentalium, 64: 221.
verconis, Nassarius, 16: 95.
verconis, Notocypraea, 14: 41.
verconis, Parachiton, 74: 183.
verconis, Prosimnia, 14: 46.
verconis, Protonucula, 4: 223.
verconis, Scala (Plastiscala), 68: 172.
verconis, Seilarex, 131: 394.
victoriensis, Turritella acricula, 44: 376.
vinazus, Ischnochiton, 73: 228.
vincentiana, Acmea, 90: 128.
vincentiana, Marginella, 102: 15.
vincentiana, Rissoina, 133: 46.
vincentiana, Scissurona, 105: 150.
Virgiconus, 104: 253.
vitiensis, Evenaria ursellus, 97: 321.
vivia, Blasicrura rhinoceros, 97: 323.
vivili, Erronea nimisserans, 97: 324.
vixlirata, Notohaliotis, 95: 177.
volai, Cypraea tigris, 97: 332.
vono, Arabica scurra, 97: 328.
vulavula, Pustularia tricornis, 97: 311.
wangga, Palangerosa cylindrica, 97: 323.
wanjakalda, Notopala, 43: 340.
weedingi, Circe, 33: 174.
weedingi, Clanculus (Isoclanculus), 68: 168.
weedingi, Marginella, 102: 16.
williamsi, Strombiformis, 20: 39.
wilsoni, Xenogalea, 143: 1.
yaloka, Palmadusta lutea, 97: 322.

ACKNOWLEDGEMENTS

The authors wish to express their gratitude to Mrs. B. C. Cotton for supplying many biographical details; they are also indebted to Miss Sue Bache for her assistance in the preparation of the bibliography and list of new names.